

ANSI Z535.5-2022

American National Standard for Safety Tags and Barricade Tapes (for Temporary Hazards)

Secretariat:

National Electrical Manufacturers Association

Approved: June 2, 2022

American National Standards Institute, Inc.

NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

ANSI standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While NEMA administers the process to promote fairness in the development of consensus, it does not write the document, and it does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards and guideline publications.

NEMA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. NEMA disclaims and makes no guaranty or warranty, expressed or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. NEMA does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, NEMA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is NEMA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

NEMA has no power, nor does it undertake to police or enforce compliance with the contents of this document. NEMA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health- or safety-related information in this document shall not be attributable to NEMA and is solely the responsibility of the certifier or maker of the statement.

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by The American National Standards Institute, Inc. (ANSI) that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer. An American National Standard implies a consensus of those substantially concerned with its scope and provisions. Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly, and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered and that a concerted effort be made toward their resolution.

The existence of an American National Standard does not in any respect preclude anyone, whether s/he has approved the standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards. It is intended as a guide to aid the manufacturer, the consumer, and the general public.

The American National Standards Institute, Inc., does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute, Inc. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on this title page.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute, Inc. require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute, Inc.

Published by

National Electrical Manufacturers Association 1300 North 17th Street, Suite 900 Rosslyn, VA 22209

© 2022 National Electrical Manufacturers Association

All rights reserved including translation into other languages, reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the International and Pan American Copyright Conventions.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Printed in the United States of America

<This page is intentionally left blank.>

Contents

	Forewo	ord		vii
1	Introdu	iction		. 1
2	Scope and Purpose1			. 1
	2.1	Scope		. 1
	2.2	Purpos	se	. 1
		2.2.1	Existing Standards and Regulations	. 1
	2.3	Excep	tions	. 2
3	Definiti	itions2		
4	Safety Tag and Barricade Tape Classifications4			.4
	4.1	DANGER		
	4.2	WARNING		
	4.3	CAUTION		
	4.4	NOTICE4		
	4.5	SAFETY INSTRUCTIONS or Similar Words4		
5	Tag and Tape Format and Color Criteria			.4
	5.1	Standard Colors		
	5.2	Safety	Alert Symbol	.4
		5.2.1	Color	.4
		5.2.2	Format	.4
	5.3	Signal	Word Panels	.4
		5.3.1	DANGER Tags and Tapes	.5
		5.3.2	WARNING Tags and Tapes	. 5
		5.3.3	CAUTION Tags and Tapes	. 5
		5.3.4	NOTICE Tags and Tapes	.6
		5.3.5	SAFETY INSTRUCTIONS (or Similar Words) Tags or Panels	.6
	5.4	Tag ar	nd Tape Criteria	. 6

		5.4.1	All Safety Tags and Barricade Tapes	6
		5.4.2	A Single Tag or Length of Tape	6
		5.4.3	Message Panel Color	6
		5.4.4	Formats for Tag Borders	6
	5.5	Tag ar	nd Tape Design/Layout	7
		5.5.1	Safety Tag Layout	7
		5.5.2	Barricade Tape Layout	8
6	Tag Location, Attachment Methods, Life Expectancy, and Authorization			9
	6.1	Tag Lo	ocation	9
	6.2	Barrica	ade Tape Placement	9
		6.2.1	Placed to Alert and Inform the Viewer	9
		6.2.2	Placed to Be Legible, Non-Distracting, and Non-Hazardous	9
	6.3	Safety	Tag Attachment Methods	9
	6.4	Life Expectancy		9
	6.5	Safety	Tag Authorization	9
7	Letter Style, Viewing Distance, Tag Size, and Shape9			9
	7.1	Letter	Style	9
		7.1.1	Signal Words	9
		7.1.2	Message Panel Lettering	9
		7.1.3	Examples of Acceptable Typefaces	10
		7.1.4	Handwritten Tags	10
	7.2	Letter	Size	10
		7.2.1	Letter Height for Barricade Tape	10
		7.2.2	Viewing Distance / Letter Height for Tags	10
	7.3	Tag Si	ze and Shape	10
8	Safety Symbols			10
	8.1	.1 Conveyed Message1		
	8.2	Use W	/ith and Without Corresponding Word Messages	10

9	References11		. 11
	9.1	Normative References	. 11
	9.2	Informative References	. 11
Ann	ex A Pr	inciples and Guidelines for the Design of Safety Tags and Barricade Tapes	. 12
Ann	ex B Pr	evious Formats for Signal Word Panels	. 19
Ann	ex C Ri	sk Estimation and Signal Word Selection	. 20
Ann	ex D In	formative References	.25
	2027 F	Revisions	.26
Form for Proposals2			.27

Figures

Figure 1 The Safety Alert Symbol	3
Figure 2 Format for the DANGER Signal Word Panel	5
Figure 3 Format for the WARNING Signal Word Panel	5
Figure 4 Format for the Personal Injury CAUTION Signal Word Panel	5
Figure 6 Format for the SAFETY INSTRUCTIONS or Similar Words Signal Word Panel	6
Figure 7 Formats for Tag Borders	7
Figure 8 Safety Tag Illustration	8
Figure 9 Barricade Tape Illustration	8
Figure A1 Examples of Correct Signal Word and Safety Alert Symbol Placement	12
Figure A2 Examples of Incorrect Signal Word and Safety Alert Symbol Placement	12
Figure A3 Word Message with Hazard Description First	13
Figure A4 Word Message with Hazard Avoidance Message First	13
Figure A5 Headline Style Message	14
Figure A6 Non-Headline Style Message	14
Figure A7 Examples of Action Statements	14
Figure A8 Examples of Concise Hazard Description Statements	14
Figure A9 Examples of Consequence Statements	14
Figure A10 Examples of Correct and Incorrect Type Spacing	15
Figure A11 Example of Personalized Lock-Out Tag with Photo	17
Figure A12 Example of Signature Block	17
Figure A13 Example of Signature Block with Tag Line Completed	17
Figure A14 Example of Step-by-Step Procedure	17
Figure A15 Examples of Multilingual Tag Layouts	18

Figure A16 Examples of Multilingual Tape Layouts	18
Figure A17 Examples of Tag Backs	18
Figure C1 Model of the Possible Results of a Hazardous Situation	21
Figure C2 Signal Word Selection Process	24

Tables

Foreword

In 1979, the ANSI Z53 Committee on Safety Colors was combined with the ANSI Z35 Committee on Safety Signs to form the ANSI Z535 Committee on Safety Signs and Colors. The Z535 Committee has the following scope:

To develop standards for the design, application, and use of signs, colors, and symbols intended to identify and warn against specific hazards and for other accident prevention purposes.

While the basic mission and fundamental purpose of the ANSI Z535 Committee is to develop, refine, and promote a single, uniform graphic system used for communicating safety and accident prevention information, the Z535 Committee recognizes that this information can also be effectively communicated using other graphic systems.

The Z535 Committees created subcommittees to update the Z53 and Z35 standards and to write new standards. To date, the following six standards make up the ANSI Z535 series:

ANSI Z535.1	Safety Colors [ANSI Z53.1-1979 was updated and combined into this standard in 1991]
ANSI Z535.2	<i>Environmental and Facility Safety Signs</i> [ANSI Z35.1-1972 and Z35.4-1972 were updated and combined into this standard in 1991]
ANSI Z535.3	Criteria for Safety Symbols [new in 1991]
ANSI Z535.4	Product Safety Signs and Labels [new in 1991]
ANSI Z535.5	<i>Safety Tags and Barricade Tapes (for Temporary Hazards)</i> [ANSI Z35.2-1974 was updated and combined into this standard in 1991]
ANSI Z535.6	Product Safety Information in Product Manuals, Instructions, and Other Collateral Materials [new in 2006]

Together, these six standards contain the information needed to specify formats, colors, and symbols for safety signs used in environmental and facility applications, product and product literature applications, and temporary safety tag and barricade tape applications.

Published separately is the ANSI Z535 *Safety Color Chart*. This chart gives the user a sample of each of the safety colors: red, orange, yellow, green, blue, purple, brown, grey, white, and black. It also describes each color's ink formulation and closest PANTONE[®] color.

This ANSI Z535.5 standard was prepared by the Z535.5 Subcommittee on Safety Tags and Barricade Tapes (for Temporary Hazards). The foreword and all of the annexes are considered to be informative; the body is considered normative. In the vocabulary of writing standards, the word "informative" is meant to convey that the content presented is for informational purposes only and is not considered to be mandatory in nature. The word "normative" is meant to convey that the content is considered to be mandatory or prescriptive.

The first edition of this standard was made available to the public in 1992. Recognizing the differences between environmental and on-product safety signs, the standard focused on how to carry forward the requirements for hazard alerting stated in both the ANSI Z535.2 standard and the ANSI Z535.4 standard through the media of safety tags. In the 1998 and 2002 revisions, notable changes included the format of signal word panels. The format of these panels is now uniform across the ANSI Z535.2, ANSI Z535.4, and ANSI Z535.5 standards and most closely resembles the format originally used in ANSI Z535.4. In 2002, requirements and guidelines for the design of safety barricade tapes were introduced.

In the 2007 revision, Annex C was added to provide assistance in selecting a signal word, and Annex D was created to separate the normative references from the informative references.

ANSI Z535.5-2022 Page viii

The 2011 edition of this standard was revised to better harmonize with the ANSI Z535.2, Z535.4 and Z535.6 standards. A new type of safety tag, the SAFETY INSTRUCTIONS tag, was added to the standard, in addition to the existing types of signs, hazard alerting tags and barricade tapes and safety notice tags and barricade tapes, which were more clearly defined and named in this edition. In tandem with these changes, the definitions for "accident," "harm," and "incident" were refined to more clearly delineate a separation between physical injury and other safety-related issues (e.g., property damage).

The 2011 edition of this standard was reaffirmed in 2017.

The 2022 edition of this standard was revised with minor clarifications and to clarify the relationship of this standard and other applicable standards and regulations. The references have been updated to reflect currently available sources and standards.

Proposals for improvement of this standard are welcome. Information concerning submittal of proposals to the ANSI Z535 Committee for consideration can be found at the back of this standard.

This standard was processed and approved for submittal to ANSI by the Accredited Standards Committee Z535 on Safety Signs and Colors. Committee approval of this standard does not necessarily imply that all committee members voted for its approval. At the time it approved this standard, the Z535 Committee had the following members:

Steve Hall, Chair Judith J. Isaacson , Vice Chair Paul Orr, Secretary	
Organization Represented:	Name of Representative:
Alamo Group (USA) Inc.	Brett Cohen Sam Gallegos (Alt.)
American Society of Safety Professionals	J. Paul Frantz Thomas F. Bresnahan (Alt.) Timothy Rhoades (Alt.)
American Welding Society	August F. Manz
Applied Materials	Edward Karl Edwin Palmero (Alt.)
Applied Safety and Ergonomics	Steve Hall Judith J. Isaacson (Alt.)
Association of Equipment Manufacturers	Valerie Lynch
B11 Standards, Inc.	David Felinski
Bell Product Safety	Gary Bell
Browning Arms Company	Larry D. Nelson
BRP	Marc Larouche Karl Richard (Alt.)

Caterpillar, Inc.

Clarion Safety Systems, LLC

Corelle Brands, LLC

Dorris and Associates International, LLC

Eagle Crusher Co.

Graco Inc.

Human Factors & Ergonomics Society

Human Factors & Safety Analytics, Inc.

International Safety Equipment Association

International Staple, Nail, and Tool Association

Kundinger Consulting

National Electrical Manufacturers Association

Nutron/GPI Association

Polyfuze

Power Tool Institute

Rockwell Automation

Safety & Forensic Enterprises, LLC

Scaffold Industry Association

Snap-on Tools

Taylor Communications

Travelers Insurance Company

Charles Crowell Justin Rose (Alt.)

Angela Lambert Geoffrey Peckham (Alt.)

Jennifer Pritchard

Nathan T. Dorris Eric Boelhouwer (Alt.)

Ryan Parsell

Angela Redlund-Spieker

Michael Kalsher William J. Vigilante Jr. (Alt.)

B. Jay Martin

Cristine Fargo

Rick Allen Stephanie Thompson (Alt.)

Mathew Kundinger

Bill Pratt David Weber (Alt.)

Russ Butchko

Matthew Stevenson Marty Mares (Alt.)

Drew Hornick Mark Hickok (Alt.)

Steven Chybowski

Loren Mills

Dave Merrifield

Dan Eggert

Jody Dombeck Linda LeBlanc (Alt.)

David Roy Joe Bailey (Alt.) ANSI Z535.5-2022 Page x

Underwriters Laboratories	Richard Olesen
U.S. Consumer Product Safety Commission	Tim Smith
USDA Rural Development Utilities Program	Trung Hiu

At the time this edition of ANSI Z535.5 was prepared for Z535 Committee vote, Subcommittee Z535.5 on Safety Tags and Barricade Tapes (for Temporary Hazards) had the following members:

Nathan T. Dorris, Chair Paul Orr, Secretary

Nathan T. Dorris	Dorris and Associates International
Steve Hall	Applied Safety and Ergonomics
Thomas F. Bresnahan	American Society of Safety Professionals
Eric Boelhouwer	Dorris and Associates International

1 Introduction

This standard sets forth a system for presenting safety and accident prevention information through safety tags and barricade tapes. It consolidates a number of previous graphic approaches into a common design direction selected to present product hazard information in an orderly and visually consistent manner.

The basic mission and fundamental purpose of the ANSI Z535 Committee is to develop, refine, and promote a single, uniform graphic system used for presenting safety and accident prevention information. Such an approach assists standard users with the efficient development of safety tags and barricade tapes, and assists safety tag and barricade tape viewers in recognizing signs as being related to safety.

This standard sets forth a hazard communication system that is designed to complement the ANSI Z535.2-2022, ANSI Z535.4-2022, and ANSI Z535.6-2022 standards. While these standards are similar in many respects, they each address different physical and visual requirements. As a result, the Accredited Standards Committee Z535 has recognized and affirmed the need for these separate standards.

2 Scope and Purpose

2.1 Scope

This standard sets forth requirements for the design, application, and use of safety tags and barricade tapes for temporary hazards. They shall be used only until the identified hazard is eliminated, or the hazardous operation is completed. For example, a safety tag would be appropriate for use during lock-out/tag-out procedures or on a damaged tool until it can be properly removed from the work area. Barricade tape would be suitable to mark an area affected by a chemical spill or an open and temporary trench.

Safety tags or barricade tapes shall not be used in place of a permanent sign or label intended for hazards in normal use, operation, or maintenance. However, if a permanent sign or label is presented in a tag configuration or a hang tag is used to supplement a permanent safety sign, the safety tag should comply with the provisions of ANSI Z535.2-2022 or ANSI Z535.4-2022.

While this standard addresses safety tags and barricade tapes for temporary hazards, other tags or tape types are not addressed by this standard. For example, underground tapes, permanent tapes, striped tapes, and non-skid tapes are not covered by this standard.

2.2 Purpose

The purpose of this standard is:

- a. to establish a uniform and consistent visual layout for safety tags and barricade tapes;
- b. to minimize the proliferation of designs for safety tags and barricade tapes; and
- c. to establish a national uniform system for safety tags and barricade tapes that communicate safety information.

2.2.1 Existing Standards and Regulations

There are a number of existing standards that are recognized for particular industries or specific uses. Compliance with these standards may be considered for the particular industry or use. It is not the intent of ANSI Z535.5 to replace existing standards or regulations that are uniquely applicable to a specific industry or use. It is the intent to encourage adoption of this standard in subsequent revisions of other standards and regulations.