



Approved as an American National Standard
ANSI Approval Date: February 23, 2009

**ANSI/NEMA WC 70-2009
ICEA S-95-658-2009**

*Power Cables Rated 2000 Volts or Less
for the Distribution of Electrical Energy*

Published by

National Electrical Manufacturers Association
1300 North 17th Street, Suite 1752
Rosslyn, Virginia 22209

www.nema.org

© Copyright 2009 by the National Electrical Manufacturers Association and the Insulated Cable Engineers Association, Incorporated. All rights, including translation into other languages, reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the International and Pan American Copyright Conventions.

NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

The National Electrical Manufacturers Association (NEMA) and the Insulated Cable Engineers Association Inc. (ICEA) standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together persons who have an interest in the topic covered by this publication. While NEMA and ICEA administers the process and establishes rules to promote fairness in the development of consensus, they do not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards and guideline publications.

NEMA and ICEA disclaims liability for personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. NEMA and ICEA disclaims and makes no guaranty or warranty, expressed or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. NEMA and ICEA do not undertake to guarantee the performance of any individual manufacturer's or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, NEMA and ICEA are not undertaking to render professional or other services for or on behalf of any person or entity, nor is NEMA and ICEA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

NEMA and ICEA have no power, nor do they undertake to police or enforce compliance with the contents of this document. NEMA and ICEA do not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health or safety-related information in this document shall not be attributable to NEMA and ICEA and is solely the responsibility of the certifier or maker of the statement.

CONTENTS

	Page
FOREWORD.....	iv
Section 1 GENERAL.....	1
1.1 SCOPE.....	1
1.2 GENERAL INFORMATION.....	1
1.3 INFORMATION TO BE SUPPLIED BY PURCHASER.....	1
1.3.1 Characteristics of System on Which Cable is to be Used.....	1
1.3.2 Quantities and Description of Cable.....	2
Section 2 CONDUCTOR.....	3
2.0 GENERAL.....	3
2.1 PHYSICAL AND ELECTRICAL PROPERTIES.....	3
2.1.1 Copper Conductors.....	3
2.1.2 Aluminum Conductors.....	3
2.1.3 Flexible Conductors.....	4
2.2 CONDUCTOR SIZE UNITS.....	4
2.3 CONDUCTOR DC RESISTANCE PER UNIT LENGTH.....	4
2.3.1 Direct Measurement of dc Resistance.....	4
2.3.2 Calculation of dc Resistance per Unit Length.....	4
2.4 CONDUCTOR DIAMETER.....	5
Section 3 INSULATION.....	17
3.1 MATERIAL.....	17
3.2 INSULATION LEVELS.....	17
3.3 INSULATION THICKNESSES.....	17
3.3.1 The Thickness Of Insulation For Various Systems Shall Be Determined As Follows:.....	18
3.4 ADDITIONAL INSULATION THICKNESS FOR NON-SHEATHED SUBMARINE CABLES.....	18
3.5 REPAIRS.....	18
3.6 INSULATION GRADES AND REQUIREMENTS.....	18
3.6.1 The Classes Of Insulation And Their General Characteristics Are Given In Table 3-1.	18
3.6.2 Voltage Tests.....	18
3.6.3 Insulation Resistance.....	18
Section 4 COVERINGS.....	28
4.1 JACKETS.....	28
4.1.1 Cross-linked and Thermoplastic Jackets - General.....	28
4.1.2 Neoprene, Heavy-duty Black (CR-HD).....	28
4.1.3 Neoprene, General Purpose (CR-GP).....	28
4.1.4 Polyvinyl Chloride (PVC).....	28
4.1.5 Low and Linear Low Density Polyethylene (LDPE & LLDPE).....	28
4.1.6 Medium Density Polyethylene (MDPE).....	28
4.1.7 High Density Polyethylene (HDPE).....	28
4.1.8 Nitrile-Butadiene/Polyvinyl-Chloride, Heavy Duty (NBR/PVC-HD).....	28
4.1.9 Nitrile-butadiene/Polyvinyl-chloride, General-purpose Duty (NBR/PVC-GP).....	29
4.1.10 Chlorosulfonated Polyethylene, Heavy Duty (CSPE-HD).....	29
4.1.11 Chlorinated Polyethylene, Thermoplastic (CPE-TP).....	29
4.1.12 Chlorinated Polyethylene, Cross-Linked, Heavy Duty (CPE-XL-HD).....	29
4.1.13 Low Smoke Halogen Free Jackets.....	29
4.1.14 Thermoplastic Elastomer (TPE).....	29
4.1.15 Optional Requirements.....	29
4.1.16 Separator Under Jacket.....	29
4.1.17 Repairs.....	29
4.1.18 Jacket Thickness.....	32
4.1.19 Irregularity Inspection of Jackets Over Cable.....	33
4.2 METALLIC AND ASSOCIATED COVERINGS.....	34

4.2.1	General.....	34
4.3	DIVISION I.....	35
4.3.1	Smooth Metallic Sheaths.....	35
4.3.2	Flat Steel Tape Armor.....	37
4.3.3	Interlocked Metal Tape Armor.....	39
4.3.4	Continuously Corrugated Metal Armor.....	40
4.3.5	Galvanized Steel Wire Armor.....	41
4.3.6	Bedding Over Cable Cores To Be Metallic Armored.....	44
4.3.7	Outer Servings.....	45
4.3.8	Cross-linked Jackets Over Metallic Coverings (Sheaths and Armors).....	45
4.3.8.1	Material.....	45
4.3.9	Thermoplastic Jackets Over Metallic Coverings (Sheaths or Armors).....	46
4.4	DIVISION II.....	47
4.4.1	Borehole Cable (Suspended at One End Only).....	47
4.4.2	Dredge Cable.....	48
4.4.3	Shaft Cable.....	49
4.4.4	Vertical Riser Cable.....	49
4.5	DIVISION III.....	50
4.5.1	Buried Land Cables.....	50
Section 5 ASSEMBLY, FILLERS, CONDUCTOR IDENTIFICATION, GROUNDING CONDUCTORS AND SHIELDING.....		51
5.1	ASSEMBLY OF MULTIPLE-CONDUCTOR CABLES.....	51
5.1.1	Multiple-Conductor Round Cables With An Overall Covering.....	51
5.1.2	Multiple-Conductor Assemblies Without Overall Covering.....	51
5.1.3	Flat Twin Cables.....	52
5.2	FILLERS.....	52
5.3	CONDUCTOR IDENTIFICATION.....	52
5.4	GROUNDING CONDUCTORS.....	52
5.5	SHIELDING.....	52
5.5.1	General.....	52
5.5.2	Metal Tapes.....	53
Section 6 PRODUCTION TESTS AND TEST METHODS.....		54
6.1	GENERAL.....	54
6.1.1	Testing and Test Frequency.....	54
6.1.2	Test Methods.....	54
6.1.3	Number of Test Specimens from Samples.....	56
6.2	THICKNESS MEASUREMENTS.....	56
6.2.1	Beddings and Servings.....	56
6.2.2	Other Components.....	56
6.3	SAMPLES AND SPECIMENS FOR PHYSICAL AND AGING TESTS.....	56
6.3.1	General.....	56
6.3.2	Sampling.....	56
6.3.3	Size of Test Specimens.....	56
6.3.4	Specimens with Jackets.....	57
6.3.5	Specimen Surface Irregularities.....	57
6.3.6	Specimens for the Aging Tests.....	58
6.3.7	Calculation of Area of Test Specimens.....	58
6.4	AGING TESTS.....	59
6.4.1	Air Oven Aging Test.....	59
6.4.2	Oil Immersion Test.....	59
6.5	HEAT SHOCK TEST.....	59
6.6	COLD-BEND TEST.....	60
6.7	TIGHTNESS OF POLYETHYLENE JACKET TO SHEATH TEST.....	60
6.8	HOT CREEP TEST.....	60

6.9	WRAP TEST FOR NYLON-COVERED INSULATED CONDUCTORS.....	60
6.10	ELECTRICAL TESTS ON COMPLETED CABLES	61
6.10.1	Voltage Tests.....	61
6.10.2	Insulation Resistance	63
6.10.3	Shield Continuity.....	63
6.11	RETESTS.....	63
6.11.1	Physical and Aging Properties and Thickness	63
6.11.2	Other Tests.....	64
	Section 7 QUALIFICATION TESTS.....	65
7.0	GENERAL	65
7.1	ACCELERATED WATER ABSORPTION TEST, ELECTRICAL METHOD AT 60HZ.....	65
7.2	Insulation Resistance Test.....	65
7.3	TRAY CABLE FLAME TEST	65
7.4	SUNLIGHT RESISTANCE TEST.....	65
7.5	Halogen Content of Non-Metallic Elements.....	65
7.6	Smoke generation test	66
7.7	acid gas equivalent test.....	66
7.8	ENVIRONMENTAL STRESS CRACKING TEST	66
7.9	ABSORPTION COEFFICIENT	66
7.10	WET INSULATION RESISTANCE STABILITY TEST	66
	Section 8 CONSTRUCTIONS OF SPECIFIC TYPES	67
8.1	PREASSEMBLED AERIAL CABLES.....	67
8.1.1	Scope.....	67
8.1.2	Conductors	67
8.1.3	Insulation	67
8.1.4	Jacket	67
8.1.5	Assembly	67
8.1.6	Messenger.....	67
8.1.7	Design Criteria.....	67
	APPENDICES	68
	APPENDIX A NEMA, ICEA, AND ASTM STANDARDS (Normative).....	68
	APPENDIX B DEFINITIONS OF MAXIMUM TEMPERATURES OF INSULATED CABLE CONDUCTORS (Normative).....	71
	APPENDIX C EMERGENCY OVERLOADS (Informative)	72
	APPENDIX D ABBREVIATIONS AND SYMBOLS (Informative).....	73
	APPENDIX E REPRESENTATIVE TENSILE STRENGTH AND ELONGATION OF NONMAGNETIC METALS (Informative).....	74
	APPENDIX F RECOMMENDED BENDING RADII FOR CABLES (Informative)	75
	APPENDIX G ADDITIONAL CONDUCTOR INFORMATION.....	77
	(Informative)	77
	APPENDIX H PROCEDURE FOR DETERMINING DIMENSIONAL REQUIREMENTS OF JACKETS AND ASSOCIATED COVERINGS (Normative)	85

FOREWORD

This Standards Publication for Power Cables Rated 2000 Volts or Less for the Distribution of Electrical Energy was developed by the Insulated Cable Engineers Association (ICEA) and approved by the National Electrical Manufacturers Association (NEMA).

ICEA/NEMA Standards are adopted in the public interest and are designed to eliminate misunderstanding between the manufacturer and the user and to assist the user in selecting and obtaining the proper product for his particular need. Existence of an ICEA/NEMA Standard does not in any respect preclude the manufacture or use of products not conforming to the standard. The user of this Standard is cautioned to observe any health or safety regulations and rules relative to the manufacture and use of cable made in conformity with this Standard.

Requests for interpretation of this Standard must be submitted in writing to:

Insulated Cable Engineers Association, Inc.
Post Office Box 1568
Carrollton, Georgia 30112

An official written interpretation will be provided once approved by ICEA and NEMA. Suggestions for improvements gained in the use of this Standard will be welcomed by the Association.

Section 1 GENERAL

1.1 SCOPE

This standard applies to materials, constructions, and testing of 2000 volts and less thermoplastic, crosslinked polyethylene, and crosslinked rubber insulated wires and cables which are used for the transmission and distribution of electrical energy for normal conditions of installation and service, either indoors, outdoors, aerial, underground, or submarine.