NEMA Standards Publication TF 1-1993 (R2000, R2005) Coated Electrical Sleeving

Published by:

National Electrical Manufacturers Association 1300 North 17th Street, Suite 1847 Rosslyn, Virginia 22209

www.nema.org

© Copyright 2005 by the National Electrical Manufacturers Association. All rights including translation into other languages reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the International and Pan American Copyright Conventions.

NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

The National Electrical Manufacturers Association (NEMA) standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While NEMA administers the process and establishes rules to promote fairness in the development of consensus, it does not write the document and it does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards and guideline publications.

NEMA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. NEMA disclaims and makes no guaranty or warranty, express or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. NEMA does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, NEMA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is NEMA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

NEMA has no power, nor does it undertake to police or enforce compliance with the contents of this document. NEMA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health or safety-related information in this document shall not be attributable to NEMA and is solely the responsibility of the certifier or maker of the statement.

CONTENTS

2.1 Types 3 2.2 Grades 3 Section 3 DIMENSIONAL REQUIREMENTS 3.1 Inside Diameter and Wall Thickness 5 3.2 Length 6 3.3 Splices 6 Section 4 PERFORMANCE REQUIREMENTS 4.1 Electrical Requirements 7 4.2 Non-Electrical Requirements 7 4.3 Colors 7			Page
Referenced Standards		Foreword	iii
1.1 Referenced Standards 1 1.2 Definitions 1 Section 2 CLASSIFICATION 2.1 Types 3 2.2 Grades 3 Section 3 DIMENSIONAL REQUIREMENTS 3.1 Inside Diameter and Wall Thickness 5 3.2 Length 6 3.3 Splices 6 Section 4 PERFORMANCE REQUIREMENTS 4.1 Electrical Requirements 7 4.2 Non-Electrical Requirements 7 4.3 Colors 7 Section 5 METHODS OF TEST 9 5.1 Procedures 9 5.2 Sampling 9 5.3 Conditioning 9 5.4 Ovens 9 5.5 Dimensional Measurements 9 5.5.1 Apparatus and Materials 9 5.6.2 Test Specimens 10 5.6.3 Report 11 5.7 Flammability 11 5.7.1 Apparatus and Materials 11 </th <th></th> <th>Scope</th> <th>iv</th>		Scope	iv
1.1 Referenced Standards 1 1.2 Definitions 1 Section 2 CLASSIFICATION 2.1 Types 3 2.2 Grades 3 Section 3 DIMENSIONAL REQUIREMENTS 3.1 Inside Diameter and Wall Thickness 5 3.2 Length 6 3.3 Splices 6 Section 4 PERFORMANCE REQUIREMENTS 4.1 Electrical Requirements 7 4.2 Non-Electrical Requirements 7 4.3 Colors 7 Section 5 METHODS OF TEST 9 5.1 Procedures 9 5.2 Sampling 9 5.3 Conditioning 9 5.4 Ovens 9 5.5 Dimensional Measurements 9 5.5.1 Apparatus and Materials 9 5.6.2 Test Specimens 10 5.6.3 Report 11 5.7 Flammability 11 5.7.1 Apparatus and Materials 11 </td <td></td> <td></td> <td></td>			
1.2 Definitions 1 Section 2 CLASSIFICATION 2.1 Types 3 2.2 Grades 3 Section 3 DIMENSIONAL REQUIREMENTS 3.1 Inside Diameter and Wall Thickness 5 3.2 Length 6 3.3 Splices 6 Section 4 PERFORMANCE REQUIREMENTS 4.1 Electrical Requirements 7 4.2 Non-Electrical Requirements 7 4.3 Colors 7 Section 5 METHODS OF TEST 5.1 Procedures 9 5.2 Sampling 9 5.3 Conditioning 9 5.4 Ovens 9 5.5 Dimensional Measurements 9 5.5.1 Apparatus and Materials 9 5.6.0 Dielectric Breakdown Voltage 10 5.6.1 Apparatus and Materials 10 5.6.2 Test Specimens 10 5.6.3 Report 11 5.7.1 <td></td> <td></td> <td></td>			
Section 2 CLASSIFICATION 2.1 Types			
2.1 Types 3 2.2 Grades 3 Section 3 DIMENSIONAL REQUIREMENTS 3.1 Inside Diameter and Wall Thickness 5 3.2 Length 6 3.3 Splices 6 Section 4 PERFORMANCE REQUIREMENTS 4.1 Electrical Requirements 7 4.2 Non-Electrical Requirements 7 4.3 Colors 7 Section 5 METHODS OF TEST 5.1 Procedures 9 5.2 Sampling 9 5.3 Conditioning 9 5.4 Ovens 9 5.5.1 Apparatus and Materials 9 5.5.1 Apparatus and Materials 9 5.6.2 Test Specimens 10 5.6.2 Test Specimens 10 5.6.3 Report 11 5.7.1 Apparatus and Materials 11 5.7.2 Procedure A, Vertical Burning Rate (Candle Test) 12 5.7.3 Procedure B, Horizontal Flame Test 13	1.2	Definitions	1
2.2 Grades 3 Section 3 DIMENSIONAL REQUIREMENTS 3.1 Inside Diameter and Wall Thickness 5 3.2 Length 6 3.3 Splices 6 Section 4 PERFORMANCE REQUIREMENTS 4.1 Electrical Requirements 7 4.2 Non-Electrical Requirements 7 4.3 Colors 7 Section 5 METHODS OF TEST 5.1 Procedures 9 5.2 Sampling 9 5.3 Conditioning 9 5.4 Ovens 9 5.5 Dimensional Measurements 9 5.5 Dimensional Measurements 9 5.6.1 Apparatus and Materials 9 5.6.2 Test Specimens 10 5.6.3 Report 11 5.7 Flammability 11 5.7.1 Apparatus and Materials 11 5.7.2 Procedure A, Vertical Burning Rate (Candle Test) 12 5.7.3 Procedure B, Horizontal Flame Test 13 5.8.1 Apparatus 13 5.8.2 Test Specimens 13 5.8.3 Procedure 14	Section 2	CLASSIFICATION	
Section 3 DIMENSIONAL REQUIREMENTS 3.1 Inside Diameter and Wall Thickness 5 3.2 Length 6 6 3.3 Splices 6 6	2.1	Types	3
3.1 Inside Diameter and Wall Thickness 5 3.2 Length 6 3.3 Splices 6 Section 4 PERFORMANCE REQUIREMENTS 4.1 Electrical Requirements 7 4.2 Non-Electrical Requirements 7 4.3 Colors 7 Section 5 METHODS OF TEST 5.1 Procedures 9 5.2 Sampling 9 5.3 Conditioning 9 5.4 Ovens 9 5.5 Dimensional Measurements 9 5.5.1 Apparatus and Materials 9 5.6.1 Apparatus and Materials 9 5.6.2 Test Specimens 10 5.6.3 Report 11 5.7 Flammability 11 5.7.1 Apparatus and Materials 11 5.7.2 Procedure A, Vertical Burning Rate (Candle Test) 12 5.7.3 Procedure B, Horizontal Flame Test 13 5.8.1 Apparatus 13 5.8.2 Test Specimens 13	2.2	Grades	3
3.1 Inside Diameter and Wall Thickness 5 3.2 Length 6 3.3 Splices 6 Section 4 PERFORMANCE REQUIREMENTS 4.1 Electrical Requirements 7 4.2 Non-Electrical Requirements 7 4.3 Colors 7 Section 5 METHODS OF TEST 5.1 Procedures 9 5.2 Sampling 9 5.3 Conditioning 9 5.4 Ovens 9 5.5 Dimensional Measurements 9 5.5.1 Apparatus and Materials 9 5.6 Dielectric Breakdown Voltage 10 5.6.2 Test Specimens 10 5.6.3 Report 11 5.7 Flammability 11 5.7.1 Apparatus and Materials 11 5.7.2 Procedure A, Vertical Burning Rate (Candle Test) 12 5.7.3 Procedure B, Horizontal Flame Test 13 5.8 Low-Temperature Flexibility 13 <td< td=""><td>Section 3</td><td>DIMENSIONAL REQUIREMENTS</td><td></td></td<>	Section 3	DIMENSIONAL REQUIREMENTS	
3.2 Length 6 3.3 Splices 6 Section 4 PERFORMANCE REQUIREMENTS 4.1 Electrical Requirements 7 4.2 Non-Electrical Requirements 7 4.3 Colors 7 Section 5 METHODS OF TEST 5.1 Procedures 9 5.2 Sampling 9 5.3 Conditioning 9 5.4 Ovens 9 5.5 Dimensional Measurements 9 5.5.1 Apparatus and Materials 9 5.6.1 Apparatus and Materials 9 5.6.1 Apparatus and Materials 10 5.6.2 Test Specimens 10 5.6.3 Report 11 5.7.1 Apparatus and Materials 11 5.7.2 Procedure A, Vertical Burning Rate (Candle Test) 12 5.7.3 Procedure B, Horizontal Flame Test 13 5.8.1 Apparatus 13 5.8.2 Test Specimens 13 5.8.3 Procedure 14	3.1		5
3.3 Splices 6 Section 4 PERFORMANCE REQUIREMENTS 4.1 Electrical Requirements 7 4.2 Non-Electrical Requirements 7 4.3 Colors 7 Section 5 METHODS OF TEST 5.1 Procedures 9 5.2 Sampling 9 5.3 Conditioning 9 5.4 Ovens 9 5.5 Dimensional Measurements 9 5.5.1 Apparatus and Materials 9 5.6 Dielectric Breakdown Voltage 10 5.6.1 Apparatus and Materials 10 5.6.2 Test Specimens 10 5.6.3 Report 11 5.7 Flammability 11 5.7.1 Apparatus and Materials 11 5.7.2 Procedure A, Vertical Burning Rate (Candle Test) 12 5.7.3 Procedure B, Horizontal Flame Test 13 5.8.1 Apparatus 13 5.8.2 Test Specimens 13 5.8.3 Procedure 14	3.2		
4.1 Electrical Requirements 7 4.2 Non-Electrical Requirements 7 4.3 Colors 7 Section 5 METHODS OF TEST 5.1 Procedures 9 5.2 Sampling 9 5.3 Conditioning 9 5.4 Ovens 9 5.5 Dimensional Measurements 9 5.5.1 Apparatus and Materials 9 5.6 Dielectric Breakdown Voltage 10 5.6.2 Test Specimens 10 5.6.3 Report 11 5.7 Flammability 11 5.7.1 Apparatus and Materials 11 5.7.2 Procedure A, Vertical Burning Rate (Candle Test) 12 5.7.3 Procedure B, Horizontal Flame Test 13 5.8.1 Apparatus 13 5.8.2 Test Specimens 13 5.8.3 Procedure 14	-		
4.1 Electrical Requirements 7 4.2 Non-Electrical Requirements 7 4.3 Colors 7 Section 5 METHODS OF TEST 5.1 Procedures 9 5.2 Sampling 9 5.3 Conditioning 9 5.4 Ovens 9 5.5 Dimensional Measurements 9 5.5.1 Apparatus and Materials 9 5.6 Dielectric Breakdown Voltage 10 5.6.2 Test Specimens 10 5.6.3 Report 11 5.7 Flammability 11 5.7.1 Apparatus and Materials 11 5.7.2 Procedure A, Vertical Burning Rate (Candle Test) 12 5.7.3 Procedure B, Horizontal Flame Test 13 5.8.1 Apparatus 13 5.8.2 Test Specimens 13 5.8.3 Procedure 14	• " •		
4.2 Non-Electrical Requirements 7 4.3 Colors 7 Section 5 METHODS OF TEST 5.1 Procedures 9 5.2 Sampling 9 5.3 Conditioning 9 5.4 Ovens 9 5.5 Dimensional Measurements 9 5.5.1 Apparatus and Materials 9 5.6 Dielectric Breakdown Voltage 10 5.6.1 Apparatus and Materials 10 5.6.2 Test Specimens 10 5.6.3 Report 11 5.7 Flammability 11 5.7.1 Apparatus and Materials 11 5.7.2 Procedure A, Vertical Burning Rate (Candle Test) 12 5.7.3 Procedure B, Horizontal Flame Test 13 5.8 Low-Temperature Flexibility 13 5.8.1 Apparatus 13 5.8.2 Test Specimens 13 5.8.3 Procedure 14			_
4.3 Colors 7 Section 5 METHODS OF TEST 5.1 Procedures 9 5.2 Sampling 9 5.3 Conditioning 9 5.4 Ovens 9 5.5 Dimensional Measurements 9 5.5.1 Apparatus and Materials 9 5.6 Dielectric Breakdown Voltage 10 5.6.1 Apparatus and Materials 10 5.6.2 Test Specimens 10 5.6.3 Report 11 5.7 Flammability 11 5.7.1 Apparatus and Materials 11 5.7.2 Procedure A, Vertical Burning Rate (Candle Test) 12 5.7.3 Procedure B, Horizontal Flame Test 13 5.8 Low-Temperature Flexibility 13 5.8.1 Apparatus 13 5.8.2 Test Specimens 13 5.8.3 Procedure 14		•	
Section 5 METHODS OF TEST 5.1 Procedures 9 5.2 Sampling 9 5.3 Conditioning 9 5.4 Ovens 9 5.5 Dimensional Measurements 9 5.5.1 Apparatus and Materials 9 5.6.1 Apparatus and Materials 10 5.6.2 Test Specimens 10 5.6.3 Report 11 5.7 Flammability 11 5.7.1 Apparatus and Materials 11 5.7.2 Procedure A, Vertical Burning Rate (Candle Test) 12 5.7.3 Procedure B, Horizontal Flame Test 13 5.8 Low-Temperature Flexibility 13 5.8.1 Apparatus 13 5.8.2 Test Specimens 13 5.8.3 Procedure 14		•	
5.1 Procedures 9 5.2 Sampling 9 5.3 Conditioning 9 5.4 Ovens 9 5.5 Dimensional Measurements 9 5.5.1 Apparatus and Materials 9 5.6 Dielectric Breakdown Voltage 10 5.6.1 Apparatus and Materials 10 5.6.2 Test Specimens 10 5.6.3 Report 11 5.7 Flammability 11 5.7.1 Apparatus and Materials 11 5.7.2 Procedure A, Vertical Burning Rate (Candle Test) 12 5.7.3 Procedure B, Horizontal Flame Test 13 5.8 Low-Temperature Flexibility 13 5.8.1 Apparatus 13 5.8.2 Test Specimens 13 5.8.3 Procedure 14	4.3	Colors	7
5.2 Sampling 9 5.3 Conditioning 9 5.4 Ovens 9 5.5 Dimensional Measurements 9 5.5.1 Apparatus and Materials 9 5.6 Dielectric Breakdown Voltage 10 5.6.1 Apparatus and Materials 10 5.6.2 Test Specimens 10 5.6.3 Report 11 5.7 Flammability 11 5.7.1 Apparatus and Materials 11 5.7.2 Procedure A, Vertical Burning Rate (Candle Test) 12 5.7.3 Procedure B, Horizontal Flame Test 13 5.8 Low-Temperature Flexibility 13 5.8.1 Apparatus 13 5.8.2 Test Specimens 13 5.8.3 Procedure 14	Section 5		
5.3 Conditioning	5.1	Procedures	9
5.4 Ovens 9 5.5 Dimensional Measurements 9 5.5.1 Apparatus and Materials 9 5.6 Dielectric Breakdown Voltage 10 5.6.1 Apparatus and Materials 10 5.6.2 Test Specimens 10 5.6.3 Report 11 5.7 Flammability 11 5.7.1 Apparatus and Materials 11 5.7.2 Procedure A, Vertical Burning Rate (Candle Test) 12 5.7.3 Procedure B, Horizontal Flame Test 13 5.8 Low-Temperature Flexibility 13 5.8.1 Apparatus 13 5.8.2 Test Specimens 13 5.8.3 Procedure 14	5.2	Sampling	9
5.5 Dimensional Measurements 9 5.5.1 Apparatus and Materials 9 5.6 Dielectric Breakdown Voltage 10 5.6.1 Apparatus and Materials 10 5.6.2 Test Specimens 10 5.6.3 Report 11 5.7 Flammability 11 5.7.1 Apparatus and Materials 11 5.7.2 Procedure A, Vertical Burning Rate (Candle Test) 12 5.7.3 Procedure B, Horizontal Flame Test 13 5.8 Low-Temperature Flexibility 13 5.8.1 Apparatus 13 5.8.2 Test Specimens 13 5.8.3 Procedure 14	5.3	Conditioning	9
5.5.1 Apparatus and Materials 9 5.6 Dielectric Breakdown Voltage 10 5.6.1 Apparatus and Materials 10 5.6.2 Test Specimens 10 5.6.3 Report 11 5.7 Flammability 11 5.7.1 Apparatus and Materials 11 5.7.2 Procedure A, Vertical Burning Rate (Candle Test) 12 5.7.3 Procedure B, Horizontal Flame Test 13 5.8 Low-Temperature Flexibility 13 5.8.1 Apparatus 13 5.8.2 Test Specimens 13 5.8.3 Procedure 14	5.4	Ovens	9
5.6 Dielectric Breakdown Voltage	5.5	Dimensional Measurements	9
5.6.1 Apparatus and Materials 10 5.6.2 Test Specimens 10 5.6.3 Report 11 5.7 Flammability 11 5.7.1 Apparatus and Materials 11 5.7.2 Procedure A, Vertical Burning Rate (Candle Test) 12 5.7.3 Procedure B, Horizontal Flame Test 13 5.8 Low-Temperature Flexibility 13 5.8.1 Apparatus 13 5.8.2 Test Specimens 13 5.8.3 Procedure 14		5.5.1 Apparatus and Materials	9
5.6.2 Test Specimens 10 5.6.3 Report 11 5.7 Flammability 11 5.7.1 Apparatus and Materials 11 5.7.2 Procedure A, Vertical Burning Rate (Candle Test) 12 5.7.3 Procedure B, Horizontal Flame Test 13 5.8 Low-Temperature Flexibility 13 5.8.1 Apparatus 13 5.8.2 Test Specimens 13 5.8.3 Procedure 14	5.6	Dielectric Breakdown Voltage	10
5.6.3 Report 11 5.7 Flammability 11 5.7.1 Apparatus and Materials 11 5.7.2 Procedure A, Vertical Burning Rate (Candle Test) 12 5.7.3 Procedure B, Horizontal Flame Test 13 5.8 Low-Temperature Flexibility 13 5.8.1 Apparatus 13 5.8.2 Test Specimens 13 5.8.3 Procedure 14		5.6.1 Apparatus and Materials	10
5.7 Flammability 11 5.7.1 Apparatus and Materials 11 5.7.2 Procedure A, Vertical Burning Rate (Candle Test) 12 5.7.3 Procedure B, Horizontal Flame Test 13 5.8 Low-Temperature Flexibility 13 5.8.1 Apparatus 13 5.8.2 Test Specimens 13 5.8.3 Procedure 14		and the state of t	
5.7.1 Apparatus and Materials 11 5.7.2 Procedure A, Vertical Burning Rate (Candle Test) 12 5.7.3 Procedure B, Horizontal Flame Test 13 5.8 Low-Temperature Flexibility 13 5.8.1 Apparatus 13 5.8.2 Test Specimens 13 5.8.3 Procedure 14		·	
5.7.2 Procedure A, Vertical Burning Rate (Candle Test) 12 5.7.3 Procedure B, Horizontal Flame Test 13 5.8 Low-Temperature Flexibility 13 5.8.1 Apparatus 13 5.8.2 Test Specimens 13 5.8.3 Procedure 14	5.7	Flammability	11
5.7.3 Procedure B, Horizontal Flame Test 13 5.8 Low-Temperature Flexibility 13 5.8.1 Apparatus 13 5.8.2 Test Specimens 13 5.8.3 Procedure 14			
5.8 Low-Temperature Flexibility 13 5.8.1 Apparatus 13 5.8.2 Test Specimens 13 5.8.3 Procedure 14			
5.8.1 Apparatus 13 5.8.2 Test Specimens 13 5.8.3 Procedure 14			
5.8.2 Test Specimens 13 5.8.3 Procedure 14	5.8	•	
5.8.3 Procedure			
D.9 OII RESISTANCE	5 0		
	5.9		
5.9.1 Test Specimens 14		•	
3 4 / PINCENIIE	5 10	Compatibility with Insulated Wire	14
5.9.2 Procedure	5 10		

	5.10.1 Apparatus and Materials	16
	5.10.2 Test Specimens	
	5.10.3 Procedure	16
5.11	Effect of Axial Compression (Push-Back)	17
	5.11.1 Test Specimens	17
	5.11.2 Procedure	
5.12	Thermal Endurance	17
	5.12.1 Test Specimens	17
	5.12.2 Proof-Testing Specimens	18
	5.12.3 Selection of Exposure Temperature and Periods	
	5.12.4 Procedure	18
	5.12.5 Construction of Thermal Life Curves	
	5.12.6 Determination of the Temperature Index	
5.13	Flexibility	
	5.13.1 Apparatus and Materials	
	5.13.2 Procedure	19
TABLES		
2-1	Breakdown Voltage Requirements, kV, Minimum	4
3-1	Inside Diameter and Wall Thickness	5
3-2	Tolerance on Cut Lengths	6
3-3	Number of Allowable Splices	6
4-1	Chemical, Thermal, and Mechanical Requirements	8
5-1	Sampling Schedule	
5-2	Mandrels for Low-Temperature Flexibility Test	
5-3	Mandrels for Flexibility After Heat Aging Test	
FIGURES		
5-1	Schematic Arrangement for Horizontal Flame Test	

Foreword

The Standards Publication has been prepared by the Electrical Tubing and Sleeving Section of the National Electrical Manufacturers Association and is intended primarily to establish test methods and performance characteristics for flexible coated sleeving used for electrical insulation.

These standards have been developed and revised over a period of years in close coordination with user needs. In addition, this Standards Publication has been closely coordinated with parallel standards writing efforts going on in Subcommittee 15C of the International Electro-Technical Commission, ASTM, NAVSEA, and UL.

This Standards Publication which was developed by the Electrical Tubing and Sleeving Section is reviewed periodically for any revisions that may be necessary to keep them up to date with advanced technology. Proposed or recommended revisions should be submitted to:

Vice President, Technical Services Department National Electrical Manufacturers Association 1300 North 17th Street, Suite 1847 Rosslyn, Virginia 22209

This Standards Publication was developed by the Tubing and Sleeving Section. Section approval of the standard does not necessarily imply that all section members voted for its approval or participated in its development. At the time it was reaffirmed in 2005, the Flexible Insulation and Mica Section was composed of the following members:

Atkins & Pearce—Covington, KY
Hilec, Inc.—Arcade, NY
Sofanou Inc.—Troy, MI
Suflex—Newmarket, NH
Sumitomo Electric—Santa Clara, CA
Tyco Electronics/Raychem—Menlo Park, CA

Scope

This Standards Publication covers requirements for and the testing of flexible coated sleeving used for electrical insulation.